




• DDS
• Metals

Howdon Lane, Wallsend, Tyne & Wear, NE28 0AL
T: 0191 262 1178 | F: 0191 263 3738
www.ddsmetals.co.uk | info@ddsmetals.co.uk


Flat Bars



A		T		Kg/m
IMP	METRIC	IMP	METRIC	
1/2	12.70	1/8	3.18	0.110
3/4	19.05	1/8	3.18	0.165
1in	25.40	1/8	3.18	0.220
1.1/2	38.10	1/8	3.18	0.327
2in	50.80	1/8	3.18	0.439
3in	76.20	1/8	3.18	0.656
1in	25.40	3/16	4.76	0.327
1.1/2	38.10	3/16	4.76	0.490
2.1/2	63.50	3/16	4.76	0.819
	30.00		5.00	0.410
	35.00		5.00	0.480
1in	25.40	1/4	6.35	0.438
1.1/2	38.10	1/4	6.35	0.656
2in	50.80	1/4	6.35	0.875
2.1/2	63.50	1/4	6.35	1.090
3in	76.20	1/4	6.35	1.313
4in	101.60	1/4	6.35	1.750
6in	152.40	1/4	6.35	2.625
1in	25.40	3/8	9.53	0.656
1.1/2	38.10	3/8	9.53	0.984
2in	50.80	3/8	9.53	1.313
2.1/2	63.50	3/8	9.53	1.640
3in	76.20	3/8	9.53	1.969
4in	101.60	3/8	9.53	2.621
6in	152.40	3/8	9.53	3.930
1in	25.40	1/2	12.70	0.875
1.1/2	38.10	1/2	12.70	1.313
2in	50.80	1/2	12.70	1.750
2.1/2	63.50	1/2	12.70	2.188
3in	76.20	1/2	12.70	2.625
4in	101.60	1/2	12.70	3.497
6in	152.40	1/2	12.70	5.245
1in	25.40	3/4	19.05	1.312
2in	50.80	3/4	19.05	2.625
3in	76.20	3/4	19.05	3.958
2in	50.80	1in	25.40	3.500
6in	152.40	1in	25.40	10.500




Square Bars





A		
IMP	METRIC	Kg/m
1/2	12.70	0.439
3/4	19.05	0.984
1in	25.40	1.750
1.1/4	31.75	2.731
1.1/2	38.10	3.938
2in	50.80	7.000

Round Bars



A		
IMP	METRIC	Kg/m
3/16	4.76	0.050
1/4	6.35	0.086
3/8	9.53	0.192
1/2	12.70	0.344
5/8	15.88	0.537
3/4	19.05	0.772
7/8	22.22	1.050
1in	25.40	1.370
1.1/8	28.58	1.741
1.1/4	31.75	2.140
1.1/2	38.10	3.095
1.3/4	44.45	4.212
2in	50.80	5.490
2.1/2	63.50	8.587
3in	76.20	12.365
3.1/2	88.90	16.816
4in	101.60	22.025
4.1/2	114.30	27.829
5in	127.00	34.200
5.1/2	139.70	41.520
6in	152.40	49.410






Channels

A		B		T1		T2		
IMP	METRIC	IMP	METRIC	IMP	METRIC	IMP	METRIC	Kg/m
3/4	19.05	1/2	12.70	1/8	3.18	1/8	3.18	0.327
1in	25.40	1/2	12.70	1/8	3.18	1/8	3.18	0.391
1in	25.40	1in	25.40	1/8	3.18	1/8	3.18	0.603
1.1/2	38.10	1in	25.40	1/8	3.18	1/8	3.18	0.713
2in	50.80	1in	25.40	1/8	3.18	1/8	3.18	0.821
2in	50.80	1.1/2	38.10	1/4	6.35	1/4	6.35	1.970
2.1/2	63.50	1.1/2	38.10	3/16	4.76	3/16	4.76	1.801
3in	76.20	1.1/2	38.10	1/8	3.18	1/8	3.18	1.310
3in*	76.20	1.1/2	38.10	1/4	6.35	5/16	7.94	2.740
4in	101.60	2in	50.80	1/4	6.35	1/4	6.35	3.292
4in*	101.60	2in	50.80	1/4	6.35	5/16	7.94	3.760
5in*	127.00	2.1/2	63.50	1/4	6.35	3/8	9.53	5.260
6in*	152.40	3in	76.20	1/4	6.35	3/8	9.53	6.390
6in*	152.40	3in	76.20	3/8	9.53	1/2	12.70	8.691
8in*	203.60	3in	76.20	3/8	9.53	1/2	12.70	9.873
9in*	228.60	3in	76.20	3/8	9.53	1/2	12.70	10.619
10in*	254.00	3in	76.20	3/8	9.53	1/2	12.70	11.400

*Available with a radius root




T: 0191 262 1178 | F: 0191 263 3738
www.ddsmetals.co.uk




Equal Angles


A		T		Kg/m
IMP	METRIC	IMP	METRIC	
3/4	19.05	1/16	1.59	0.156
3/4	19.05	1/8	3.18	0.301
1in	25.40	1/16	1.59	0.213
1in	25.40	1/8	3.18	0.411
1in	25.40	1/4	6.35	0.768
1.1/4	31.75	1/8	3.18	0.519
1.1/2	38.10	1/16	1.59	0.331
1.1/2	38.10	1/8	3.18	0.632
1.1/2	38.10	3/16	4.76	0.921
2in	50.80	1/8	3.18	0.847
2in	50.80	3/16	4.76	1.276
2in	50.80	1/4	6.35	1.662
3in	76.20	1/8	3.18	1.284
3in	76.20	1/4	6.35	2.555
3in	76.20	3/8	9.53	3.690
	100.00		6.00	3.154
4in	101.60	1/2	12.70	6.629




Unequal Angles



A		B		T		
IMP	METRIC	IMP	METRIC	IMP	METRIC	Kg/m
3/4	19.05	1/2	12.70	1/16	1.59	0.130
3/4	19.05	1/2	12.70	1/8	3.18	0.246
1in	25.40	1/2	12.70	1/16	1.59	0.158
1in	25.40	1/2	12.70	1/8	3.18	0.302
1in	25.40	5/8	15.88	1/8	3.18	0.328
1in	25.40	3/4	19.05	1/8	3.18	0.356
1.1/4	31.75	3/4	19.05	1/8	3.18	0.411
1.1/4	31.75	1in	25.40	1/8	3.18	0.464
1.1/2	38.10	1/2	12.70	1/8	3.18	0.430
1.1/2	38.10	3/4	19.05	1/8	3.18	0.466
1.1/2	38.10	1in	25.40	1/8	3.18	0.513
1.3/4	44.45	1.1/4	31.75	1/8	3.18	0.632
2in	50.80	1in	25.40	1/8	3.18	0.628
2in	50.80	1in	25.40	3/16	4.76	0.926
2in	50.80	1in	25.40	1/4	6.35	1.208
2in	50.80	1.1/2	38.10	1/8	3.18	0.742
2in	50.80	1.1/2	38.10	3/16	4.76	1.083
2.1/2	63.50	1.1/2	38.10	1/4	6.35	1.640
2.1/2	63.50	2in	50.80	3/16	4.76	1.421
3in	76.20	1.1/2	38.10	1/8	3.18	0.961
3in	76.20	2in	50.80	1/8	3.18	1.066
3in	76.20	2in	50.80	1/4	6.35	2.077
4in	101.60	2in	50.80	1/8	3.18	1.290
4in	101.60	2in	50.80	1/4	6.35	2.578
4in	101.60	2.1/2	63.50	1/4	6.35	2.740
5in	127.00	3.1/2	88.90	1/4	6.35	3.597
6in	152.40	3in	76.20	3/8	9.53	5.724



Rectangular Hollow Section




A		B		T		
IMP	METRIC	IMP	METRIC	IMP	METRIC	Kg/m
1in	25.40	1/2	12.70	16g	1.63	0.296
1.1/2	38.10	1in	25.40	10g	3.25	1.005
2in**	50.80	1in	25.40	10g	3.25	1.229
2.1/2	63.50	1.1/2	38.10	10g	3.25	1.645
3in*	76.20	2in	50.80	10g	3.25	2.110
4in*	101.60	2in	50.80	10g	3.25	2.560

*Available with radius root

**Available with both square and radius root

Square Hollow Section





A		T		
IMP	METRIC	IMP	METRIC	Kg/m
1/2	12.70	16g	1.63	0.192
3/4	19.05	16g	1.63	0.308
1in	25.40	16g	1.63	0.421
1in	25.40	10g	3.25	0.780
1.1/4	31.75	16g	1.63	0.535
1.1/4	31.75	10g	3.25	1.000
1.1/2**	38.10	10g	3.25	1.228
2in**	50.80	10g	3.25	1.624
3in*	76.20	10g	3.25	2.570
3in	76.20	3/16	4.76	3.704
	100.00*		5.00	5.150
	120.00*		7.00	8.543

*Available with radius root

**Available with both square and radius root


T:0191 262 1178 | F:0191 263 3738
www.ddsmetals.co.uk















Round Tubes


A		T		
IMP	METRIC	IMP	METRIC	Kg/m
3/8	9.53	16g	1.63	0.109
5/8	15.88	16g	1.63	0.196
3/4	19.05	14g	2.00	0.293
1in	25.40	16g	1.63	0.328
1in	25.40	10g	3.25	0.610
1.1/4	31.75	10g	3.25	0.790
1.3/8	34.93	10g	3.25	0.880
1.1/2	38.10	10g	3.25	0.960
1.1/2	38.10	3/16	4.76	1.350
1.1/2	38.10	1/4	6.35	1.730
1.29/32	48.26	7g	4.47	1.680
2in	50.80	10g	3.25	1.320
2in	50.80	1/4	6.35	2.390
3in	76.20	10g	3.25	2.020
3in	76.20	1/4	6.35	3.760
	100.00		5.00	4.060
4in	101.60	16g	1.63	1.422
5in	127.00	3/8	9.53	9.531




T: 0191 262 1178 | F: 0191 263 3738
www.ddsmetals.co.uk

Mouldings







FS4
0.246Kg/m




TA81
0.52 kg/m




Ladder Rung
0.588kg/m




PP2
0.400Kg/m




CC5
0.360Kg/m




PP3
0.800kg/m




EM2
0.269Kg/m




CC10
0.302Kg/m



DL1
0.21 kg/m




Double Round Edge





Ref	A		T		Kg/m
	IMP	METRIC	IMP	METRIC	
DR2	1in	25.40	1/8	3.18	0.207
DR4	1.1/4	31.75	1/8	3.18	0.262
DR5	1.1/2	38.10	1/8	3.18	0.318
DR6	2in	50.80	1/8	3.18	0.427

Double Bevelled




Ref	A		T		Kg/m
	IMP	METRIC	IMP	METRIC	
DB1	1in	25.40	1/8	3.18	0.179

Half Round Mouldings




Ref	A		T		Kg/m
	IMP	METRIC	IMP	METRIC	
HR1	3/4	19.05	3/16	4.76	0.146
HR2	1in	25.40	3/16	4.76	0.196
HR4	1.1/2	38.10	1/4	6.35	0.370
HR5	2in	50.80	1/4	6.35	0.445
MM15	1in	25.40	1/4	6.35	0.298




Aluminium Sheet

THICKNESS (mm)											SIZE	SPEC
1	1.2	1.5	2	2.5	3	4	5	6	10			
*	*	*	*		*						2000 x 1000	1050-H14
*	*	*	*	*	*	*	*	*			2500 x 1250	1050-H14
*	*	*	*	*	*	*	*	*			3000 x 1500	1050-H14
			*	*	*	*	*	*	*		2500 x 1250	5083-0



A5 Bar Treadplate							SIZE	SPEC
Base Thickness								
2mm	3mm	4.5mm	6mm	9.5mm				
*	*	*	*		2000 x 1000		5754M	
*	*	*	*	*	2500 x 1250		5754M	
*	*	*			3000 x 1500		5754M	



Stucco - Patt. 51				SIZE	SPEC
Thickness (SWG)					
25	22	20	18		
*	*	*	*	2500 x 1250	1050-H14



Disclaimer

The information contained herein is based on our present knowledge and experience and is given in good faith.

However, no liability will be accepted by the Company in respect of any action taken by any third party in reliance thereon.

As the products detailed herein may be used for a wide variety of purposes and as the Company specifically excludes all conditions or warranties expressed or implied by statute or otherwise as to dimensions, properties and/or their fitness for any particular purpose.

Any advice given by the Company to any third party is given for that party's assistance only and without any liability on the part of the Company.

• DDS
• Metals

